

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5
Revision: 1
Revision date: 29/11/13

PAINT PREPARATION

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name PAINT PREPARATION

1.2 Relevant identified uses of the substance or mixture and uses advised against

Paintwork polishing / cleaning and enhancement.

1.3. Details of the supplier of the safety data sheet

Company AGlaze Limited
Address 2 Breckland Business Park
Watton
Thetford
Norfolk IP25 6UP
Telephone 01953 884999
Email enquiries@aglaze.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CHIP): -: R10; -: R66
Classification (CLP): Flam. Liq. 3 – H226; Human health: EUH066;

Most important adverse effects:

Flammable liquid and vapour.

2.2. Label elements

Label elements under CLP (1272/2008):

Hazard statements: H226: Flammable liquid and vapour.
EUH066: Repeated exposure may cause skin dryness or cracking.

Signal words:



Hazard pictograms:

Precautionary statements:

P102: Keep out of reach of children
P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking
P280: Wear protective gloves / eye protection / face protection.
P302+352: IF ON SKIN: Wash with soap and water.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P101: If medical advice is needed, have product container or label at hand.
P301+331+315: IF SWALLOWED: Do NOT induce vomiting. Get immediate medical advice / attention.

Label elements under CHIP (1999/45/EC):

Hazard symbols: -
Risk phrases: R10: Flammable.
R66: Repeated exposure may cause skin dryness or cracking.

Safety phrases: S2: Keep out of the reach of children.
S16: Keep away from sources of ignition – No smoking.
S24/25: Avoid contact with skin and eyes.
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S28: After contact with skin, wash immediately with plenty of water.
S37/39: Wear suitable gloves and eye/face protection.
S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

2.3. Other hazards

PBT: This product is not identified as a PBT substance.

Paint Preparation

Page 2/5
Revision: 1
Revision date: 29/11/13

SECTION 3: Composition/information on ingredients

3.2. Mixtures 67/548/EEC / 1999/45/EC

Chemical Name	CAS No.	Conc. (%w/w)	Classification
Naphtha (petroleum), hydrotreated heavy	64742-48-9	10 – 20 %	Xn; R65; -: R10; -: R66 Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H336

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	May cause irritation to respiratory system. Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

SECTION 5: Firefighting measures

5.1. Extinguishing media Alcohol resistant foam. Carbon dioxide (CO₂). Dry powder. Cool fire exposed containers with water spray.

5.2. Special hazards arising from the substance or mixture
Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for fire-fighters
Wear protective equipment. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures
Avoid contact with the eyes and skin.
Ensure adequate ventilation of the working area. Wear suitable protective equipment.

6.2. Environmental precautions
Do not allow product to enter drains or any water course. Prevent further spillage if safe. Advise local authorities if large spills cannot be contained.

6.3. Methods and material for containment and cleaning up
Absorb with inert, absorbent material.
Transfer to suitable, labelled containers for disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling
Avoid contact with eyes and skin. Use in a well-ventilated area.

7.2. Conditions for safe storage, including any incompatibilities
Keep out of the reach of children.
Store in cool, well ventilated area. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**
Not applicable

8.2. Exposure controls

Respiratory protection	Do not breathe dust/fume/gas/mist/vapour/spray. Wear suitable respiratory equipment when necessary.
Hand protection	Chemical resistant gloves (PVC).
Eye protection	Avoid contact with eyes. In case of splashing, wear eye protection.
Protective equipment	Avoid contact with eyes and skin. Immediately remove all soiled and contaminated clothing. Wash all contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:	Viscous liquid
Colour:	Opaque pink
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	Not determined.
Melting point:	Not determined.
Boiling point:range:	Not determined.
Flash point:	51 °C
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Self-igniting:	Not determined.
Danger of explosion:	May form explosive mixtures with air.
Explosion limits:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	0.990 g/cm ³ @ 15 °C
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with water:	Immiscible with water.
Oxidizing properties	Not determined.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic at 25 °C:	12,000 cps.
Kinematic:	Not determined.

9.2 Other information:

No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity:

Not determined.

10.2. Chemical stability

Stable under normal conditions.

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions:

Not determined.

10.4 Conditions to avoid

Heat, flames and other sources of ignition.

10.5 Incompatible materials:

Strong oxidizing agents. Strong acids.

10.6 Hazardous decomposition products:

In combustion emits toxic fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity:

Not determined.

Primary irritant effect:

on the skin: There may be irritation and redness at the site of contact.
on the eye: There may be irritation and redness. The eyes may water profusely. The vision may become blurred.
Sensitization: No sensitizing effects known.

Additional toxicological information:

No further relevant information available.

Paint Preparation

Page 4/5
Revision: 1
Revision date: 29/11/13

SECTION 12: Ecological information

12.1 Toxicity

Not determined.

12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) N°648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

The product is more than 80% biodegradable.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

Not determined.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects:

No further relevant information available.

SECTION 13: Disposal considerations

General information

Do not allow product to enter drains.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.
Dispose of as normal industrial waste.

14. TRANSPORT INFORMATION



Labels:

ADR

UN number: 1139
UN proper shipping name: UN 1139, Coating Solution. 3, III (D/E)
Transport hazard class(es): 3 Packing group: III
Tunnel restriction code: (D/E) Environmentally hazardous: no

IATA

UN number: 1139
Description of the goods: Coating Solution.
Class: 3 Packing group: III
Environmentally hazardous: no

IMDG

UN number: 1139
Description of the goods: Coating Solution.
Class: 3 Packing group: III
Marine pollutant: no

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008
This safety data sheet is in compliance with the Regulation (EC) N°1907/2006

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

Paint Preparation

Page 5/5
Revision: 1
Revision date: 29/11/13

16. OTHER INFORMATION

Revision: This document differs from the previous version in the following areas:

Not applicable.

Full text of classifications [CLP/GHS]

H226:	Flammable liquid and vapour.
H304:	May be fatal if swallowed and enters airways.
H336:	May cause drowsiness or dizziness.
EUH066:	Repeated exposure may cause skin dryness or cracking.

Full text of classifications [DSD/DPD]

R10:	Flammable.
R65:	Harmful: may cause lung damage if swallowed.
R66:	Repeated exposure may cause skin dryness or cracking.

Further information:

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.